Identification of novel inhibitor molecules for cancer therapeutics: The c-Myc inhibition story

A Thesis submitted by

Ashutosh Singh

(Roll No: D15067)

for the award of the degree of


Doctor of Philosophy



School of Basic Sciences
Indian Institute of Technology Mandi
Mandi, Himachal Pradesh-175005
September, 2021







Affectionately


dedicated


to my loving

parents, wife,

and

The Almighty "Shiva"







www. iitmandi.ac.in

Declaration by the Research Scholar

I hereby declare that the entire work embodied in this Thesis entitled "Identification of novel inhibitor molecules for cancer therapeutics: The c-Myc inhibition story" is the result of investigations carried out by me in the *School of Basic Sciences*, Indian Institute of Technology Mandi, under the supervision of *Dr. Neha Garg* and that it has not been submitted elsewhere for any degree or diploma. In keeping with the general practice, due acknowledgements have been made wherever the work described is based on finding of other investigators.

IIT Mandi (H.P.)

Date: 14-09-2021

Ashutosh Singh







INSTITUTE OF MEDICAL SCIENCES, FACULTY OF AYURVEDA, MEDICINAL CHEMISTRY MOBILE: +91-9818082907

+91-8840464794

EMAIL: nehagarg@bhu.ac.in, nehagarg.1986@gmail.com

Declaration by the Research Advisor

I hereby certify that the entire work in this Thesis entitled "Identification of novel inhibitor molecules for cancer therapeutics: The c-Myc inhibition story" has been carried out by *Mr. Ashutosh Singh*, under my supervision in the *School of Basic Sciences*, Indian Institute of Technology Mandi, and that no part of it has been submitted elsewhere for any Degree or Diploma. In keeping with the general practice, due acknowledgements have been made wherever the work described is based on finding of other investigators.

BHU, Varanasi

Date: 14-09-2021 **Dr. Neha Garg**





Website: http://new.bhu.ac.in/Site/FacultyProfile/1 22?FA000454



Acknowledgments

I am highly indebted to The Almighty "Shiva" and "Maa Kali," who gave me the strength to accomplish another chapter of my life. While pursuing my Ph.D. degree, I met many people who encouraged me during ups and downs and provided continuous support of their experience and knowledge throughout this journey. First and foremost, I would like to thank my advisors Dr. Neha Garg for her patience, motivation, constant encouragement, enthusiasm, and immense knowledge. Their guidance helped me in all the research, writing of this thesis, and growing as a researcher.

I also want to express my everlasting gratitude to the stimulating discussions of Doctoral committee members Dr. Venkata Krishnan, Dr. Prem Felix Siril, Dr. Subrata Ghosh, and Dr. Arpan Gupta, who continually conveyed a spirit of adventure regarding my research work. I also want to thankfully acknowledge the Chair, School of Basic Sciences, for providing the laboratory facilities and infrastructure, without which this work would not have been possible to execute. I also express my sincere thanks to our collaborators, Dr. Rajanish Giri, Dr. Venkata Krishnan, Dr. Jaspreet Kaur Randhawa, Dr. Narinder Singh, and Dr. Mohane Selvaraj Coumar, for their constant intellectual involvements, insightful comments, and valuable support. I am also grateful to University Grant Commission (UGC), India, for the financial support during my tenure. I would also like to acknowledge Stem Cell Network, Canada, for supporting my travel to Canada for Till & McCulloch Meetings' 2018 and 2019. I shall ever remain grateful to all of them.

I express my sincere thanks to the Director, IIT Mandi, for providing high-end facilities in such a remote location. The research facilities at BioX and Advanced Materials Research Center (AMRC), IIT Mandi, are gratefully acknowledged. My sincere

thanks to all BioX faculty members for their invaluable advice and encouragement during course work and research work. I am highly thankful to the BioX and AMRC staff for their assistance in the lab.

My life at IIT Mandi was made pleasurable, entertaining, and memorable in large part due to many friends Mondal, Deepak, Ankur, Nitin, Amit Sir, Bhau, Uddu, Shivani, Prateek, Taniya, Namya, Yogesh, Manish, Suraj, Swati, Dhuni bhai, Ankita, Shounak, Prem, Keshav, Vineeth, Surbhi, Tiwari Ji, Diksha, and Harpreet who encouraged me during my bad times and spent enjoyable moments during my Ph.D. journey.

Lastly, and most importantly, I would like to extend heartfelt gratitude to my parents, my lovely wife, and my younger brother, Ashish, without whom I would never have entered this beautiful journey. I thank my family for their generous support, encouragement, unconditional love, invaluable blessings, and untold sacrifices for my better and bright career. They were always there when I needed them, and without their encouragement and understanding, it would have been impossible for me to take this bumpy ride.

Table of Contents

Abstract	i
Abbreviations	iii
Chapter 1:	1
Introduction	2
1.2 Gene and protein domain organization of c-Myc	3
1.3 Functional landscape of c-Myc in normal cells	6
1.4 c-Myc and cancer	7
1.5 Functional landscape of c-Myc in cancer	10
1.5.1 c-Myc and cancer initiation	11
1.5.2 c-Myc and cancer metabolism	12
1.6 c-Myc and therapeutic strategies	14
1.6.1 Transcriptional targeting	15
1.6.1.1 Bromodomain and extra-terminal (BET) protein inhibitors	16
1.6.1.2 G-quadruplex stabilizers	16
1.6.2 Post-translational targeting	17
1.6.2.1 Protein Phosphatase 2A (PP2A) Activation	17
1.6.2.2 Peptidyl-prolyl cis-trans isomerase NIMA-interacting 1 (PIN1)	19
Inhibition	20
1.6.2.4 Inhibition of c-Myc/MAX dimerization	21
1.7 Challenges and opportunities	22
1.8 Thesis outline	24
Chapter 2: L755507 identified through computer-aided-drug-discovery efficiently inhibits the c-Myc/MAX heterodimerization and induces apoptosis in cancer cells Abstract	25
2.1 Introduction	26
2.2 Materials and methods	27
2.2.1 Cell culture	27
2.2.2 Protein structure preparation and druggable site prediction	27
2.2.3 Molecular docking	28
2.2.4 Molecular dynamics simulations	29
2.2.5 Data mining and Myc gene profiling	29
2.2.6 Cell viability assay	29
2.2.7 Real-time quantitative PCR	30
2.2.8 Western blot	30

2.2.9 Flow cytometry
2.2.10 Annexin V/PI apoptosis Assay
2.2.11 Cell cycle analysis
2.2.12 Migration assay
2.2.13 Colony-forming assay
2.2.14 Co-immunoprecipitation assay
2.2.15 Isothermal titration calorimetry (ITC)
2.2.16 Fluorescence lifetime measurement
2.2.17 Time-Resolved anisotropy decay measurement
2.2.18 Stopped-flow binding kinetics
2.2.19 Statistical analysis
2.3 Results
2.3.1 Identification of potential druggable site and discovery of bioactive molecules that target the bHLH domain
2.3.2 Myc overexpression is associated with cancer and poor patient survival and is expressed in studied cell lines
2.3.4 L755507 is a potent molecule that reduces the growth and restricts cell migration and colony-formation of Myc expressing cell lines
2.3.5 L755507 induces apoptosis and S-phase cell arrest
2.3.6 L755507 treatment decreases the expression of Myc target genes via abrogating the Myc-MAX dimer
2.3.7 Biophysical studies demonstrated the binding of L755507 to Myc
2.3.8 Molecular dynamic (MD) simulations showed a stable interaction of L755507 with Myc
.4 Discussion
Chapter 3: Salvianolic Acid B interacts with the disordered basic helix-loop- nelix domain of c-Myc oncoprotein: a computational and spectroscopic pased study. Abstract
3.1 Introduction
3.2 Materials and methods
3.2.1 Materials
3.2.2 Myc 3D structure preparation and target site identification
3.2.3 Molecular docking using Glide
3.2.4 Binding measurement using fluorescence spectroscopy
3.2.5 Binding measurement using Circular dichroism (CD) spectroscopy
3.2.6 Fluorescence lifetime measurement
3.2.7 Time-Resolved anisotropy decay measurement
3.2.8 Molecular dynamic simulation

3.3 Results and discussion	6
3.3.1 Identification of druggable site on the disordered bHLH domain of Myc.	6
3.3.2 Molecular docking study	6
3.3.3 Equilibrium binding measurements using fluorescence and CD	6
Spectroscopy	6
3.3.5 Extensive MD simulation revealed a stable Myc/Sal_Ac_B complex Formation	6 7
	′
Chapter 4: Structure-based hot-spot targeting employing conformation ensemble approach led to the discovery of novel c-Myc inhibitors	
	7
4.1 Introduction	7
4.2 Materials and methods	7
4.2.1 Cell culture	7
4.2.2 Disorder prediction	7
4.2.3 Hot-spot identification	7
4.2.4 Molecular dynamics simulations	7
4.2.5 Conformational ensemble generation	7
4.2.6 Molecular docking	7
4.2.7 In vitro anticancer study	7
4.2.8 Real-time quantitative PCR	7
4.2.9 Western blot	7
4.2.10 Annexin V/Propidium Iodide apoptosis Assay	7
4.2.11 Isolation and maintenance of cancer stem cells	8
4.2.12 In vitro cytotoxicity on CSC	8
4.2.13 Sphere formation assay	8
4.2.14 Steady-state fluorescence emission	8
4.2.15 Fluorescence lifetime measurements	8
4.2.16 Circular dichroism spectral measurements	8
4.2.17 Statistical analysis	8
4.3 Results	8
4.3.1 Identification of hot-spots and warm-spot in c-Myc/MAX interaction	8
4.3.2 Structural dynamics of c-Myc through all-atom MD simulations	8
4.3.3 Conformation ensemble of c-Myc for docking	8
4.3.4 Molecular docking resulted in identification of hit molecules	8

4.3.5 Three of the seven compounds showed noteworthy in vitro potency	87
4.3.6 The compounds efficiently inhibited the functionality of c-Myc	90
4.3.7 The three compounds showed considerable in vitro efficacy against CSCs	91
4.3.8 Binding of compounds resulted in the quenching of intrinsic Trp	92
4.3.9 Binding of the compounds resulted in time-resolved decrease in Trp fluorescence lifetime	93
4.3.10 Compound binding led to decrease in disorderness	94
4.3.11 MD simulation showed a stable protein-ligand complex	97
4.4 Discussion.	98
Chapter 5: Conclusion and future perspective	
5.1 Key finding of the thesis	105
5.2 Future perspective	108
Appendix	109
References	123
List of publications	143